

## TCB551RU Part List

| No. | Part Number   | Description   | Location Number | Q'ty | Remark |
|-----|---------------|---|-----------------|------|--------|
| 1   | P00-1008-090  | PACKING ASSY FOR TCB551RU   |                 | 1.00 |        |
| 2   | 701-C5500-90A | STUD BOLT ABS M6X8L BLACK SOLARIUM 双头螺栓                           |                 | 2.00 |        |
| 3   | 702-C5500-40A | BRACKET SET SPC 1.6T BLACK 支架                                     |                 | 1.00 |        |
| 4   | 702-C7701-10A | BRACKET MIC SUS304 1.0T 支架  |                 | 1.00 |        |
| 5   | 703-C7700-50A | PACKING RUBBER 橡胶垫  |                 | 2.00 |        |
| 6   | 706-3007T-BBR | SCREW MACH(+) M3x7L-TAPTITE BLACK BH RI CHENG 螺丝                  |                 | 2.00 |        |
| 7   | 708-50121-ZTH | SCREW TAP( + ) 5X12L-1S ZN PLATING TH 螺丝                          |                 | 3.00 |        |
| 8   | 714-M30NE-002 | STAR WASHER-S M3 NI PLATING B type RI CHENG 垫圈                    |                 | 2.00 |        |
| 9   | 714-M50NE-003 | STAR WASHER-L M5 NI PLATING B type RI CHENG 垫圈                    |                 | 3.00 |        |
| 10  | 801-C51R-000  | GIFTBOX(REV.00) 235X185X62mm 彩盒                                   |                 | 1.00 |        |
| 11  | 804-C550-A01  | INNER BOX A SW1E 2.0T BROWN(REV.01) 内盒                            |                 | 1.00 |        |
| 12  | 804-C550-B03  | INNER BOX B 95X175X55mm SW1E 2.0T BROWN(REV.03) 内盒                |                 | 1.00 |        |
| 13  | 809-C51R-000  | OUT BOX 325X380X246mm DW1E 7.0T(REV.00) 纸箱                        |                 | 0.10 |        |
| 14  | 817-0810-000  | POLYBAG PE 80X100 (with Recycle Mark Print) 塑胶袋                   | FOR SCREW       | 2.00 |        |
| 15  | 817-2230-000  | POLYBAG with recycple mark PE 220X300 需要打孔 塑胶袋                    | FOR RADIO       | 1.00 |        |
| 16  | 820-C51R-000  | OWNER'S MANUAL 1 Language 105x 142mm 20 page for TCB551RU 说明书     |                 | 1.00 |        |
| 17  | 830-C51R-000  | NAME LABEL(PE 0.2T, 35X20mm) 贴纸                                   |                 | 1.00 |        |
| 18  | 833-TTSN-001  | S.N Sticker Art Paper 100g /25*20mm glossy coated 贴纸              |                 | 2.00 |        |
| 19  | 834-0001-000  | WARNING LABEL 贴纸  |                 | 1.00 |        |
| 20  | 836-C550-002  | LCD PROTECTIVE SHEET 45.1*13.7MM PE 保护膜                           |                 | 1.00 |        |
| 21  | 835-EN13-001  | OUTBOX BARCODE STICKER 卡通箱条码贴纸,100g 铜版纸过光胶,65(W)X40(H)mm          |                 | 0.10 |        |
| 22  | 834-R0TE-R00  | ROSTEST MARK STICKER 贴纸   |                 | 1.00 |        |
| 23  | C00-1008-090  | CASE ASSY FOR TCB551RU  |                 | 1.00 |        |
| 24  | 702-C7700-80A | VCO SHIELD CAN SPTE 0.3T DESHAN 铁盖                                |                 | 1.00 |        |
| 25  | 352-0753-000  | LCD TN M4A0753A Size 46.5×20×2.8(T)mm 3.0VDC GOODER DISPLAY 液晶显示器 |                 | 1.00 |        |
| 26  | 701-C7700-60A | DIFFUSER LENS ACRYL CLEAR 背光板                                     | Diffuser        | 1.00 |        |
| 27  | 701-C7700-70B | REFLECTOR ACRYL CLEAR *TOOL MODIFY*反光镜                            | For diffuser    | 1.00 |        |

| No. | Part Number   | Description   | Location Number  | Q'ty  | Remark |
|-----|---------------|---|--|-------|--------|
| 28  | 702-C7700-50A | LCD BRACKET SPTE 0.3T DESHAN 支架   | For diffuser   | 1.00  |        |
| 29  | 703-C7700-20A | ZEBRA SILICONE 斑马条  | For diffuser   | 1.00  |        |
| 30  | 718-R000D-036 | EVA SPONGE-B 16X2.0X0.8T, BLACK 海棉  | For Lcd Bracket  | 2.00  |        |
| 31  | 718-R000D-037 | EVA SPONGE-A 49X2.0X0.8T, BLACK 海棉  | For Lcd Bracket  | 2.00  |        |
| 32  | 719-R000D-004 | DOUBLE SIDE TAPE FOR DIFFUSER 29X3.5X0.2T 贴纸                                      | For diffuser   | 2.00  |        |
| 33  | 722-R0000-001 | WHITE SHEET POLYESTER 41.7*13.2*0.1T 白纸片  | For diffuser   | 1.00  |        |
| 34  | 520-6600-000  | SPEAKER 8 ohm 3W 400HZ 87+/-3dB OD:66mm H:20mm 33.1g 66AR000-8P-4K11R<br>ASAHI 喇叭 | SPEAKER1   | 1.00  |        |
| 35  | 540-0215-100  | WIRE HARNESS PH-2PIN TO OPEN UL 1007 NO26 L150mm 诚德 导线                            |  | 1.00  |        |
| 36  | 702-C5500-10A | BOTTOM COVER SPC + BLACK COATING 0.8t 底壳  |  | 1.00  |        |
| 37  | 702-C5500-20B | UPPER COVER SPCC 0.8T, BLACK SPRAY COATING WITH "tti CB" ENGRAVE DESHAN 面壳        |  | 1.00  |        |
| 38  | 702-C7700-30A | BRACKET SPK EGI 1.0T COATING DESHAN 支架  | For speaker  | 3.00  |        |
| 39  | 706-3007T-BBR | SCREW MACH(+) M3x7L-TAPTITE BLACK BH RI CHENG 螺丝                                  | Main PCB + Main body mounting (4pcs), Key PCB + Main body mounting (2pcs)Bracket(sp) mounting(3pcs), Main body + Bottom & upper cover mounting(6pcs) | 14.00 |        |
| 40  | 715-C650N-001 | FELT (SPK) D65X0.3T BLACK 防尘网   | For speaker  | 1.00  |        |
| 41  | 715-R000D-024 | FELT(COVER) 6x117x0.2t BLACK ONE SIDE DOUBLE TAPE 防尘网                             | For bottom cover & upper coveradhesive(location: side)   | 4.00  |        |
| 42  | 718-R000D-001 | CUSHION 20X24X4.0T EVA SPONGE BLACK 海棉  | For upper cover adhesive(location: center)   | 1.00  |        |
| 43  | 701-C5500-10A | WINDOW ACRYL CLEAR SOLARIUM 镜片  |  | 1.00  |        |
| 44  | 701-C5510-10A | ESCUTCHEON ABS BLACK SOLARIUM(TCB550 TOOLING,NEW SILK)塑胶配件                        | Front case plastic   | 1.00  |        |
| 45  | 701-C7700-50A | CH KNOB ABS BLACK WITH WHITE INKING 频道钮   | For Vol, Squelch   | 2.00  |        |
| 46  | 703-C55RU-10A | KEY PAD SILICONE NATURAL PU coating -5KHz 按键                                      |  | 1.00  |        |
| 47  | 706-2604S-BFH | SCREW MACH( + ) M2.6x4L BLACK FH 螺丝   |  | 1.00  |        |
| 48  | 706-2605S-NFR | SCREW MACH( + ) M2.6X5L Ni PLATED FH RI CHENG螺丝                                   | Esc+Main body mounting   | 3.00  |        |
| 49  | 708-26082-BPH | SCREW TAP( + ) 2.6X8L-2S BLACK PH(HEAD DIA 4.2) 螺丝                                | Key pcb mounting   | 2.00  |        |
| 50  | 712-M70NE-002 | RING NUT BsBm, M7xφ9.5x2.2t, Ni PLATING RICHENG 铜螺母                               | For Vol, Squelch mounting  | 2.00  |        |
| 51  | 719-S000D-035 | DOUBLE TAPE(WINDOW) 3M 0.16t 双面胶  | For window   | 1.00  |        |
| 52  | 723-C5500-046 | 4 PIN CONNECTOR N-16-4R-PCB-PIN(5mm) AOCHUAN 连接头                                  |  | 1.00  |        |
| 53  | 543-2003-100  | POWER CORD 2PIN UL1015 AWG20 3A 250V L=1150mm 电源线                                 |  | 1.00  |        |
| 54  | 701-C5500-70A | CORD STOPPER PP BLACK 线扣  | Power cord wire stopper  | 1.00  |        |

| No. | Part Number   | Description   | Location Number                                  | Q'ty  | Remark |
|-----|---------------|---|--|-------|--------|
| 55  | 701-C5500-80B | BUSH PPS BLACK 绝缘垫圈   | For TR   | 1.00  |        |
| 56  | 702-C5500-30B | MAIN BODY EGI 1.0t back side with 2 holes 中框  |  | 1.00  |        |
| 57  | 702-C7701-30A | ANT. TERMINAL SPTE 0.2T天线接触片  | For Antenna connector                            | 1.00  |        |
| 58  | 706-3010S-BBH | SCREW MACH( + ) M3X10L BLACK BH 螺丝  | TR mounting                                      | 3.00  |        |
| 59  | 711-M30NE-000 | NUT M3 SS41 Ni PLATED 螺母  | TR mounting                                      | 5.00  |        |
| 60  | 713-M30NE-S02 | SPRING WASHER M3 RI CHENG 弹簧垫圈  | TR mounting                                      | 5.00  |        |
| 61  | 723-C4100-011 | INSULATION WASHER PAPER Φ3.0 (Red color)垫圈  |  | 1.00  |        |
| 62  | 723-C7700-001 | MICA 23*18.18*0.6T 云母片  | For TR   | 1.00  |        |
| 63  | 723-G3000-042 | ANT CONNECTOR(YSO-239A) AOCHUAN 天线连接头   | J701   | 1.00  |        |
| 64  | 547-0825-000  | WIRE STRIP D0.78 L25MM 导线   |  | 1.00  |        |
| 65  | 302-2078-000  | Through Hole Transistor,NPN,TO-220AB 2SC2078E "SANYO"插件三极管                              | QT4  | 1.00  |        |
| 66  | 302-2314-000  | Through Hole 3Pin Transistor 2SC2314F TO-126 "SANYO"插件三极管                               | QT3  | 1.00  |        |
| 67  | 570-5001-000  | VR R16100NS-KA20D11.5-A503-005-G74 CTR 可调电阻   | VR1  | 1.00  |        |
| 68  | 22D-101C-J00  | DISK CAP. CC1HCH101J(100PF) 50V +/-5 DirΦ:6.5mm F=5.0mm NPO 祥泰 插件磁片电容                   | CT30   | 1.00  |        |
| 69  | I00-1008-090  | INSERT PARTS ASSY FOR TCB551RU MAIN PCB   |  | 1.00  |        |
| 70  | 330-2003-001  | Through Hole 5Pin audio AMP IC TDA2003L-TB5-T "UTC" 集成电路                                | IC3  | 1.00  |        |
| 71  | 102-100J-S00  | FILM RES. 10 OHM 0.5W +/-5% CF 50 10RJTBCEP HK 手焊电阻                                     | RG12   | 1.00  |        |
| 72  | 102-229J-S00  | FILM RES. 2.2 OHM 0.5W +/-5% CF 50 2R2JTBCP HK 手焊电阻                                     | RT10   | 1.00  |        |
| 73  | 102-331J-S00  | FILM RES. 330 OHM 0.5W +/-5%ST 手焊电阻   | R37  | 1.00  |        |
| 74  | 102-471J-S00  | FILM RES. 470 OHM 0.5W +/-5%ST 手焊电阻   | R38  | 1.00  |        |
| 75  | 112-100J-S00  | METAL OXID RESISTOR 10 OHM 2W +/-5%ST 手焊电阻  | R100   | 1.00  |        |
| 76  | 202-1059-M00  | ELECT CAP. 1UF 50V 5x11 剪脚(脚长规格：3.2~3.8mm) FUJICON 插件电解电容                               | CR55   | 1.00  |        |
| 77  | 202-1069-M00  | ELECT CAP. 10UF 16V 5x11 剪脚(脚长规格：3.2~3.8mm) FUJICON 插件电解电容                              | CG5 CG8 CM1 CM5 CM30 CQ6 CR15 CM14 CG7 CM44 CR18 | 11.00 |        |
| 78  | 202-1070-M00  | ELECT CAP. 16V 100UF 5x11 RK1C101M-RBD11WP00 剪脚(脚长规格：3.2~3.8mm) FUJICON 插件电解电容          | CR38   | 1.00  |        |
| 79  | 202-1081-M00  | ELECT CAP. 1000UF 16V 10x20 剪脚(脚长规格：3.2~3.8mm) FUJICON 插件电解电容                           | C101 CM16  | 2.00  |        |
| 80  | 202-2259-M00  | ELECT CAP. 2.2UF 50V 5x11 剪脚(脚长规格：3.2~3.8mm) FUJICON 插件电解电容                             | CL13   | 1.00  |        |
| 81  | 202-2279-M00  | ELECT CAP. 220UF 16V 6.3x11 RK series 105degree +/-20%剪脚(脚长规格：3.2~3.8mm) FUJICON 插件电解电容 | CM20   | 1.00  |        |
| 82  | 202-4749-M00  | ELECT CAP. 0.47UF 50V D5x11 剪脚(脚长规格：3.2~3.8mm) FUJICON 插件电解电容                           | CM15   | 1.00  |        |

| No. | Part Number  | Description   | Location Number | Q'ty | Remark |
|-----|--------------|---|-----------------|------|--------|
| 83  | 202-4769-M00 | ELECT CAP. 47UF 16V 5x11 剪脚(脚长规格 : 3.2~3.8mm) FUJICON 插件电解电容      | CM4 CV10        | 2.00 |        |
| 84  | 204-4771-M00 | ELECT CAP. 470UF 25V 10x16 剪脚(脚长规格 : 3.2~3.8mm) FUJICON 插件电解电容    | CG11            | 1.00 |        |
| 85  | 22D-331C-J00 | DISK CAP.CC1HCH331J(330PF)50V+/-5 NPO 3.5T,10Φ,5mm XIANTAI 插件磁片电容 | CT28            | 1.00 |        |
| 86  | 22D-561C-J00 | DISK CAP.CC1HSL561J(560PF) 50V +/-5 SL XIANTAI 插件磁片电容             | CT27            | 1.00 |        |
| 87  | 22D-681C-J00 | DISK CAP. CC1SL681JD500S5LNP9.0(680PF) 50V +/-5 SL XIANTAI 插件磁片电容 | CT21            | 1.00 |        |
| 88  | 230-2000-000 | DIP TRIMMER CAP. 6DIA 20PF CVN620 FOKITS 插件电容                     | CTX1            | 1.00 |        |
| 89  | 360-1024-001 | CRYSTAL 10.24MHZ 32PF 30PPM HC-49U YOKETAN 插件晶振                   | X2              | 1.00 |        |
| 90  | 367-1069-000 | CRYSTAL FILTER 10.695MHZ 49T-3L 10L08A DTRON 插件晶振                 | CF1             | 1.00 |        |
| 91  | 373-0455-400 | CERAMIC FILTER LTW33-455HT CQ 插件滤波器                               | CF3             | 1.00 |        |
| 92  | 400-0019-000 | TRANSFORMER CHOCK T1 EI-19 FINE 插件变压器                             | L100            | 1.00 |        |
| 93  | 400-0024-000 | TRANSFORMER EI-24(MOD) T2 FINE 插件变压器                              | TM1             | 1.00 |        |
| 94  | 406-5006-100 | COIL SPRING 5X0.6X13.5T(KR0.60*5*13.5TN) 2UEW-N dia 0.6mm 插件线圈 有汇 | LT10            | 1.00 |        |
| 95  | 406-5008-001 | COIL SPRING 5XAR0.8X8.5TN 2UEW-N0.8mm-130℃ PK Coil 插件线圈           | LT13 LT14       | 2.00 |        |
| 96  | 406-5008-401 | COIL SPRING 5.0RXAR0.8X4.5TN 2UEW-N0.8mm-130℃ PK coil 插件线圈        | LT11 LT12       | 2.00 |        |
| 97  | 406-6008-100 | COIL SPRING 6X0.8X5T(DR0.80*6*5TN) 2UEW-N dia 0.8mm 插件线圈 有汇       | LT4             | 1.00 |        |
| 98  | 410-0270-000 | IFT COIL RF FREE TX 27MHZ TX1 FINE 插件中周                           | LT1 LT2         | 2.00 |        |
| 99  | 410-0501-000 | IFT COIL 5mm 81C013 450KHZ +/-2% FINE 插件中周                        | X1              | 1.00 |        |
| 100 | 410-1650-000 | IFT COIL 16.5MHZ VCO VCO1 FINE 插件中周                               | LV1             | 1.00 |        |
| 101 | 410-4551-000 | IFT COIL 455KHZ-B RX5 FINE 插件中周                                   | LR4             | 1.00 |        |
| 102 | 425-1R50-000 | COIL AXIAL 1.5UH LGA0307-1R5KTF SUNLORD 插件线圈                      | L4 L5           | 2.00 |        |
| 103 | 425-6R80-001 | COIL AXIAL 6.8UH LGA0307-6R8KTF SUNLORD 线圈                        | LT6 LM1         | 2.00 |        |
| 104 | 425-R390-010 | COIL AXIAL 0.39UH LGA0307-R39KTF SUNLORD 插件线圈                     | LT3             | 1.00 |        |
| 105 | 427-0017-000 | CORE SPRING 5.5TX0.45X2.3 R M5E 0.17UH FINE 插件线圈                  | L1 L2 L3        | 3.00 |        |
| 106 | 535-3500-200 | JACK DC PJ-3625B GABOU 插件插座                                       | JACK1           | 1.00 |        |
| 107 | 162-1030-000 | TRIMMER POTENTIOMETER WS0612-B103-000-G66 CTR 插件电位器               | RVQ1            | 1.00 |        |
| 108 | 162-2220-100 | TRIMMER POTENTIOMETER WS0612-B222-000-G66 CTR 插件电位器               | RVM1            | 1.00 |        |
| 109 | 162-2230-100 | TRIMMER POTENTIOMETER 22K+/-30% WS0612-B223-000-G66 CTR 插件电位器     | RV3             | 1.00 |        |
| 110 | 302-3205-000 | Through Hole NPN Transistor TO-92L KTC3205Y-AT/P "KEC"插件三极管       | QG4 QG5         | 2.00 |        |
| 111 | 302-1241-000 | TRANSISTOR KTA1241-Y TO-92L KEC 插件三极管                             | Q901            | 1.00 |        |

| No. | Part Number  | Description   | Location Number   | Q'ty  | Remark |
|-----|--------------|---|---|-------|--------|
| 112 | 340-5822-000 | DIP SCHOTTKY DIODE 1N5822 GD 插件二极管                    | D101  | 1.00  |        |
| 113 | 340-1602-000 | DIODE ST60P DO-35 glass case 插件二极管                    | DR3   | 1.00  |        |
| 114 | 340-1400-100 | DIODE 1N4004TR 400V 1A DO-204AL(DO-41)VISHAY 插件二极管    | DM2   | 1.00  |        |
| 115 | 340-1540-000 | DIODE 1N5402 DO-201AD SEMTECH 插件二极管                   | D100  | 1.00  |        |
| 116 | 410-0272-000 | IFT COIL 27MHZ RX (7RC) RX2 FINE 插件中周                 | LR2   | 1.00  |        |
| 117 | 410-0273-000 | IFT COIL 27MHZ RX1(Wire Diameter : Φ0.1) FINE 插件中周    | LR1   | 1.00  |        |
| 118 | 410-1070-000 | IFT COIL 10.7MHZ RX-B RX3 FINE插件中周                    | LR3   | 1.00  |        |
| 119 | 540-0218-000 | WAFER 2PIN PH-2A 180C FINE 排插                         | SPEAKER1  | 1.00  |        |
| 120 | 22D-471C-J00 | DISK CAP.CC1HSL471J(470PF) 50V +/-5 SL XIANTAI 插件磁片电容 | CT26  | 1.00  |        |
| 121 | S00-1008-090 | SMT ASSY FOR TCB551RU MAIN PCB                        |   | 1.00  |        |
| 122 | 142-000J-001 | CHIP RES. RCT03 0J LF 0603 0 OHM +/-5% HKR 贴片电阻       | CR12 RT11   | 2.00  |        |
| 123 | 142-100J-001 | CHIP RES. RCT03 10J LF 0603 10 OHM +/-5% HKR 贴片电阻     | RR34 RU1 RG11 RR9 RM60 RP1 RQ4  | 7.00  |        |
| 124 | 142-101J-001 | CHIP RES. RCT03 100J LF 0603 100 OHM +/-5% HKR 贴片电阻   | RR6 RR10 RW3 RR26   | 4.00  |        |
| 125 | 142-102J-001 | CHIP RES. RCT03 1KJ LF 0603 1K OHM +/-5% HKR 贴片电阻     | RR23 RG10 RG20 RM5 RT6 RQ6 R902 RM14  | 8.00  |        |
| 126 | 142-103J-001 | CHIP RES. RCT03 10KJ LF 0603 10K OHM +/-5% HKR 贴片电阻   | RM6 RM31 RM32 RM46 RM47 RM50 RM51 RM52 RQ10 RQ11 RT1<br>RL4 RP3 RR16 RR22 RP2 RP4 RM53 RR18 | 18.00 |        |
| 127 | 142-104J-001 | CHIP RES. RCT03 100KJ LF 0603 100K OHM +/-5% HKR 贴片电阻 | RM1 RQ2 RQ12 RW2 RR43 RV1 RQ3 RR41 RR61 RR62 RL6 RQ13<br>R34                                | 13.00 |        |
| 128 | 142-106J-001 | CHIP RES. RCT03 10MJ LF 0603 10M OHM +/-5% HKR 贴片电阻   | RQ1   | 1.00  |        |
| 129 | 142-152J-001 | CHIP RES. RCT03 1.5KJ LF 0603 1.5K OHM +/-5% HKR 贴片电阻 | RR7   | 1.00  |        |
| 130 | 142-153J-001 | CHIP RES. RCT03 15KJ LF 0603 15K OHM +/-5% HKR 贴片电阻   | RM3 RR30  | 2.00  |        |
| 131 | 142-154J-001 | CHIP RES. RCT03 150KJ LF 0603 150K OHM +/-5% HKR 贴片电阻 | RW4   | 1.00  |        |
| 132 | 142-220J-001 | CHIP RES. RCT03 22J LF 0603 22 OHM +/-5% HKR 贴片电阻     | RT2   | 1.00  |        |
| 133 | 142-221J-001 | CHIP RES. RCT03 220J LF 0603 220 OHM +/-5% HKR 贴片电阻   | RR3 RR5   | 2.00  |        |
| 134 | 142-222J-001 | CHIP RES. RCT03 2.2KJ LF 0603 2.2K OHM +/-5% HKR 贴片电阻 | RM30 RM34 RM42 RS1 RS2 RV2 R503 RM12  | 8.00  |        |
| 135 | 142-223J-001 | CHIP RES. RCT03 22KJ LF 0603 22K OHM +/-5% HKR 贴片电阻   | RR2 RM41 RM2 RL5 RR25   | 5.00  |        |
| 136 | 142-224J-001 | CHIP RES. RCT03 220KJ LF 0603 220K OHM +/-5% HKR 贴片电阻 | RR44  | 1.00  |        |
| 137 | 142-229J-001 | CHIP RES. RCT03 2.2J LF 0603 2.2 OHM +/-5% HKR 贴片电阻   | RR35 RM13   | 2.00  |        |
| 138 | 142-272J-001 | CHIP RES. RCT03 2.7KJ LF 0603 2.7K OHM +/-5% HKR 贴片电阻 | RR33 RT3  | 2.00  |        |
| 139 | 142-273J-001 | CHIP RES. RCT03 27KJ LF 0603 27K OHM +/-5% HKR 贴片电阻   | RM40  | 1.00  |        |

| No. | Part Number  | Description   | Location Number  | Q'ty  | Remark |
|-----|--------------|---|--|-------|--------|
| 140 | 142-331J-001 | CHIP RES. RCT03 330J LF 0603 330 OHM +/-5% HKR 贴片电阻                       | RT5  | 1.00  |        |
| 141 | 142-334J-001 | CHIP RES. RCT03 330KJ LF 0603 330K OHM +/-5% HKR 贴片电阻                     | RM43   | 1.00  |        |
| 142 | 142-335J-001 | CHIP RES. RCT03 3.3MJ LF 0603 3.3M OHM +/-5% HKR 贴片电阻                     | RQ5  | 1.00  |        |
| 143 | 142-393J-001 | CHIP RES. RCT03 39KJ LF 0603 39K OHM +/-5% HKR 贴片电阻                       | RR24   | 1.00  |        |
| 144 | 142-470J-001 | CHIP RES. RCT03 47J LF 0603 47 OHM +/-5% HKR 贴片电阻                         | RT4 RW5 RR37   | 3.00  |        |
| 145 | 142-471J-001 | CHIP RES. RCT03 470J LF 0603 470 OHM +/-5% HKR 贴片电阻                       | RM4 RQ10   | 2.00  |        |
| 146 | 142-472J-001 | CHIP RES. RCT03 4.7KJ LF 0603 4.7K OHM +/-5% HKR 贴片电阻                     | RQ14 RT12 RQ22 RM7 RM44 RR17 RQ7 RR46 RM11   | 9.00  |        |
| 147 | 142-473J-001 | CHIP RES. RCT03 47KJ LF 0603 47K OHM +/-5% HKR 贴片电阻                       | RR12 RR19 RR45 RR13 RL1 RL2 RR15 RR36 RR40 RR42 RL3 RQ15                                       | 12.00 |        |
| 148 | 142-474J-001 | CHIP RES. RCT03 470KJ LF 0603 470K OHM +/-5% HKR 贴片电阻                     | RR14   | 1.00  |        |
| 149 | 142-562J-001 | CHIP RES. RCT03 5.6KJ LF 0603 5.6K OHM +/-5% HKR 贴片电阻                     | RM48 RM10  | 2.00  |        |
| 150 | 142-563J-001 | CHIP RES. RCT03 56KJ LF 0603 56K OHM +/-5% HKR 贴片电阻                       | RR4  | 1.00  |        |
| 151 | 142-681J-001 | CHIP RES. RCT03 680J LF 0603 680 OHM +/-5% HKR 贴片电阻                       | RR1  | 1.00  |        |
| 152 | 212-050C-6C0 | CHIP CERAMIC CAP. 0603 5PF NP0 50V +/-0.25 SAMSUNG CL10C050CB8NNNC 贴片电容   | CV3  | 1.00  |        |
| 153 | 212-080C-6C0 | CHIP CERAMIC CAP. 0603 8PF NP0 50V +/-0.25PF SAMSUNG CL10C080CB8NNNC 贴片电容 | RR11   | 1.00  |        |
| 154 | 212-100C-6J0 | CHIP CERAMIC CAP. 0603 10PF NP0 50V +/-5 SAMSUNG CL10C100CB8NNNC 贴片电容     | CR26 CW1   | 2.00  |        |
| 155 | 212-101C-6J0 | CHIP CERAMIC CAP. 0603 100PF NP0 50V +/-5 SAMSUNG CL10C101JB8NNNC 贴片电容    | CR3 CR11 CR13 CR34 CT5 CT11 CV6 CV7 CV5 CT8  | 10.00 |        |
| 156 | 212-102B-6K0 | CHIP CERAMIC CAP.0603 0.001UF X7R 50V +/-10 SAMSUNG CL10B102KB8NNNC 贴片电容  | CM49 CM13 CM40 CM48  | 4.00  |        |
| 157 | 212-103B-6K0 | CHIP CERAMIC CAP. 0603 0.01UF X7R 50V +/-10 SAMSUNG CL10B103KB8NNNC 贴片电容  | CR36 CR40 CR50 CR53 CR54 CR57 CT6 CT7 CW3 CW4 CW5 CG6 CM2 CM3 CR21 CM32 CM45 CR25 CR14 CR2 CT2 | 21.00 |        |
| 158 | 212-104B-3K0 | CHIP CERAMIC CAP.0603 0.1UF X7R 16V +/-10 SAMSUNG CL10B104K08NNNC 贴片电容    | CR9 CR19 CR42 CR58 CT20 CG9 CM10 CM12 CQ2 CQ4 CR33 CL1 CM50 CP1 CM31 CR30 CR31 CP2 CR56        | 19.00 |        |
| 159 | 212-105B-3K0 | CHIP CERAMIC CAP.0603 1UF X7R 16V +/-10 SAMSUNG CL10A105KO8NNNC 贴片电容      | CP3 CR8 CR20   | 3.00  |        |
| 160 | 212-105F-3Z0 | CHIP CERAMIC CAP. 0603 1UF Y5V 16V -20 + 80 SAMSUNG CL10F105ZO8NNNC 贴片电容  | CM7 CM42 CM43 CQ3 CG10   | 5.00  |        |
| 161 | 212-151C-6J0 | CHIP CERAMIC CAP. 0603 150PF NP0 50V +/-5 SAMSUNG CL10C151JB8NNNC 贴片电容    | CR4 CR6 CT22 CT9   | 4.00  |        |
| 162 | 212-153B-3K0 | CHIP CERAMIC CAP.0603 0.015UF X7R 16V +/-10 SAMSUNG CL10B153KB8NNNC 贴片电容  | CM33   | 1.00  |        |
| 163 | 212-180C-6J0 | CHIP CERAMIC CAP. 0603 18PF NP0 50V +/-5 SAMSUNG CL10C180JB8NNNC 贴片电容     | CT31   | 1.00  |        |
| 164 | 212-181C-6J0 | CHIP CERAMIC CAP. 0603 180PF NP0 50V +/-5 SAMSUNG CL10C181JB8NNNC 贴片电容    | CR10   | 1.00  |        |
| 165 | 212-220C-6J0 | CHIP CERAMIC CAP. 0603 22PF NP0 50V +/-5 SAMSUNG CL10C220JB8NNNC 贴片电容     | CW2 CW9  | 2.00  |        |
| 166 | 212-270C-6J0 | CHIP CERAMIC CAP. 0603 27PF NP0 50V +/-5 SAMSUNG CL10C270JB8NNNC 贴片电容     | CV4 CT29   | 2.00  |        |
| 167 | 212-330C-6J0 | CHIP CERAMIC CAP. 0603 33PF NP0 50V +/-5 SAMSUNG CL10C330JB8NNNC 贴片电容     | CW8  | 1.00  |        |

| No. | Part Number  | Description  | Location Number                  | Q'ty | Remark |
|-----|--------------|--|----------------------------------|------|--------|
| 168 | 212-390C-6J0 | CHIP CERAMIC CAP. 0603 39PF NP0 50V +/-5 SAMSUNG CL10C390JB8NNNC 贴片电容            | CV11                             | 1.00 |        |
| 169 | 212-470C-6J0 | CHIP CERAMIC CAP. 0603 47PF NP0 50V +/-5 SAMSUNG CL10C470JB8NNNC 贴片电容            | CT1 CR1 CR5 CR7 CX2 CT4          | 6.00 |        |
| 170 | 212-471C-6J0 | CHIP CERAMIC CAP. 0603 470PF NP0 50V +/-5 SAMSUNG CL10C471JB8NNNC 贴片电容           | CV1 CR61 CR62                    | 3.00 |        |
| 171 | 212-472B-6K0 | CHIP CERAMIC CAP.0603 0.0047UF X7R 50V +/-10 SAMSUNG CL10B472KB8NNNC 贴片电容        | CR35 CM11                        | 2.00 |        |
| 172 | 212-473B-6K0 | CHIP CERAMIC CAP.0603 0.047UF X7R 50V+/-10 SAMSUNG CL10B473KB8NNNC 贴片电容          | CR51 CR52 CR63 CR64 CM6 CM47 CM8 | 7.00 |        |
| 173 | 212-560C-6J0 | CHIP CERAMIC CAP. 0603 56PF NP0 50V +/-5 SAMSUNG CL10C560JB8NNNC 贴片电容            | CX1                              | 1.00 |        |
| 174 | 300-1504-000 | SMD PNP Transistor KTA1504S-Y/P SOT-23 Marking: AS "KEC"贴片三极管                    | QR7 QTS1 QM2                     | 3.00 |        |
| 175 | 300-3875-000 | SMD Transistor SWITCHING KTC3875S-Y/GR SOT-23 KEC 贴片三极管                          | QQ2 QR4 QRS1 QM1                 | 4.00 |        |
| 176 | 300-3880-000 | CHIP TR. SWITCHING KTC3880S-Y (SOT-23) KEC 贴片三极管                                 | QR1 QR5 QR6 QT2 QV1 QW1 QW2      | 7.00 |        |
| 177 | 300-2211-000 | CHIP TR 2SK211-Y(TE85R) SOT23 TOSHIBA 贴片三极管                                      | QR2 QR3                          | 2.00 |        |
| 178 | 300-1010-000 | CHIP TR KRC101S-RTK/P SOT-23 KEC 贴片三极管   | QN1                              | 1.00 |        |
| 179 | 300-1020-000 | CHIP TR KRC102S-RTK-P SOT-23 KEC 贴片三极管   | QAS3 QQ4 QFS1 QQ3                | 4.00 |        |
| 180 | 300-1120-000 | CHIP TR KRC112S-RTK/P SOT-23 KEC 贴片三极管   | Q503 Q902                        | 2.00 |        |
| 181 | 300-1050-100 | CHIP TR KRA105S-RTK/P SOT-23 KEC 贴片三极管   | QAS2 QN2                         | 2.00 |        |
| 182 | 300-1100-000 | SMD 3Pin NPN Transistor KRC110S-RTK/P SOT-23 Marking:" NK"KEC 贴片三极管              | QAS4 QFS2 QQ1 QAS1 QUS1 QV2 QQ5  | 7.00 |        |
| 183 | 330-3580-000 | SMD 8pin OP AMP IC FLP-8 KIA358F-EL/P "KEC" 贴片集成电路                               | IC2 IC7                          | 2.00 |        |
| 184 | 330-7152-101 | SMD 24pin Control IC PLL MFP24S LC7152M-TLM nonPB free"SANYO"RU&GME only贴片集成电路   | IC6                              | 1.00 |        |
| 185 | 330-5019-000 | SMD 16pin Control IC IF SL5019 AUK SOP16 贴片集成电路                                  | IC1                              | 1.00 |        |
| 186 | 340-0243-000 | SMD 3pin DIODE ZENER SOT-23 Z02W4.3V-Y-RTK/P "KEC" 贴片二极管                         | DG2                              | 1.00 |        |
| 187 | 340-0251-000 | SMD 3pin DIODE ZENER SOT-23 Z02W5.1V-Y-RTK/P "KEC" 贴片二极管                         | DQ2                              | 1.00 |        |
| 188 | 340-0282-000 | SMD 3pin DIODE ZENER SOT-23 Z02W8.2V-Y-RTK/P "KEC" 贴片二极管                         | DG1                              | 1.00 |        |
| 189 | 340-2510-100 | SMD 3pin DIODE VARICAP KDV251S/P SOT-23 Grad:C=1.90~2.02 Marking: Q3 "KEC" 贴片二极管 | DV1 DV2 DV3                      | 3.00 |        |
| 190 | 340-1278-000 | CHIP DIODE VARICAP 1SV278 "T1" TOSHIBA 贴片二极管                                     | DR62                             | 1.00 |        |
| 191 | 340-1140-100 | SMD Diode 30V 100mA KDS114E-RTK/P ESC Marking: UD "KEC"贴片二极管                     | DQ1                              | 1.00 |        |
| 192 | 340-1810-000 | CHIP DIODE SWITCHING KDS181-RTK/P SOT-23 KEC 贴片二极管                               | D5                               | 1.00 |        |
| 193 | 340-1840-000 | CHIP DIODE SWITCHING KDS184-RTK/P SOT-23 KEC 贴片二极管                               | DM1 DR4                          | 2.00 |        |
| 194 | 340-2260-000 | CHIP DIODE SWITCHING KDS226-RTK/P SOT-23 KEC 贴片二极管                               | DR1                              | 1.00 |        |
| 195 | 416-2R20-000 | IND. CHIP FERRITE SDFL1608Q2R2KT(2.2UH) SUNLORD 贴片电感                             | LW1                              | 1.00 |        |
| 196 | 500-5504-300 | MAIN PCB MP08B - TCB551RU FR4, 1.6mm A Gold Plated 2 Layer luckview 线路板          |                                  | 1.00 |        |

| No. | Part Number  | Description   | Location Number   | Q'ty  | Remark |
|-----|--------------|---|---|-------|--------|
| 197 | 212-221C-6J0 | CHIP CERAMIC CAP. 0603 220PF NP0 50V +/-5 SAMSUNG CL10C221JB8NNNC 贴片电容    | CT3   | 1.00  |        |
| 198 | 340-1472-000 | DIODE VARICAP KDV1472-B-RTK/P "BB" USC KEC 贴片二极管                          | DR61  | 1.00  |        |
| 199 | 212-561C-6J0 | CHIP CERAMIC CAP. 0603 560PF NP0 50V +/-5 SAMSUNG CL10C561JB8NNNC 贴片电容    | CT12 CT10   | 2.00  |        |
| 200 | 212-150C-6J0 | CHIP CERAMIC CAP. 0603 15PF NP0 50V +/-5 SAMSUNG CL10C150JB8NNNC 贴片电容     | CX3   | 1.00  |        |
| 201 | 212-223B-3K0 | CHIP CERAMIC CAP. 0603 0.022UF X7R 16V +/-10 SAMSUNG CL10B223KB8NNNC 贴片电容 | CR23  | 1.00  |        |
| 202 | 142-333J-001 | CHIP RES. RCT03 33KJ LF 0603 33K OHM +/-5% HKR 贴片电阻                       | RM45  | 1.00  |        |
| 203 | 142-479J-001 | CHIP RES. RCT03 4.7J LF 0603 4.7 OHM +/-5% HKR 贴片电阻                       | R100  | 1.00  |        |
| 204 | 203-2280-M00 | ELECT CAP. 2200UF 25V 13X21 RK series 105degree +/-20% FUJICON 插件电解电容     | C100  | 1.00  |        |
| 205 | T00-1008-091 | T/U ASSY FOR TCB551RU LCD PCB   |   | 1.00  |        |
| 206 | 360-8000-000 | CRYSTAL 8.0MHZ 20pF +/-30ppm 49S-8.000-20-30 SHOULDER 插件晶振                | X4  | 1.00  |        |
| 207 | 564-8210-000 | Through Hole 4pin SWITCH TACT KFC-821 (H=5mm) 6.2*6.2*5mm GABOU 开关控制      | ON UP AM/FM EMG   | 4.00  |        |
| 208 | B00-1008-090 | BONDING ASSY FOR TCB551RU LCD PCB   |   | 1.00  |        |
| 209 | 320-0509-000 | IC CPU(FLASH) JT5BL9 TOSHIBA 集成电路   | IC5   | 1.00  |        |
| 210 | 329-5500-100 | SOFTWARE V92 FOR TCB550RU 软件  |   | 1.00  |        |
| 211 | S00-1008-091 | SMT ASSY FOR TCB551RU LCD PCB   |   | 1.00  |        |
| 212 | 142-000J-001 | CHIP RES. RCT03 0J LF 0603 0 OHM +/-5% HKR 贴片电阻                           | R50   | 1.00  |        |
| 213 | 142-100J-001 | CHIP RES. RCT03 10J LF 0603 10 OHM +/-5% HKR 贴片电阻                         | R39   | 1.00  |        |
| 214 | 142-102J-001 | CHIP RES. RCT03 1KJ LF 0603 1K OHM +/-5% HKR 贴片电阻                         | R35   | 1.00  |        |
| 215 | 142-103J-001 | CHIP RES. RCT03 10KJ LF 0603 10K OHM +/-5% HKR 贴片电阻                       | R40 R41 R42 R36   | 4.00  |        |
| 216 | 142-104J-001 | CHIP RES. RCT03 100KJ LF 0603 100K OHM +/-5% HKR 贴片电阻                     | R27   | 1.00  |        |
| 217 | 142-222J-001 | CHIP RES. RCT03 2.2KJ LF 0603 2.2K OHM +/-5% HKR 贴片电阻                     | R13   | 1.00  |        |
| 218 | 142-472J-001 | CHIP RES. RCT03 4.7KJ LF 0603 4.7K OHM +/-5% HKR 贴片电阻                     | R10 R15 R26 R33   | 4.00  |        |
| 219 | 142-473J-001 | CHIP RES. RCT03 47KJ LF 0603 47K OHM +/-5% HKR 贴片电阻                       | R1 R2 R3 R4 R5 R6 R7 R8 R9 R11 R11A R12 R14 R17 R18, R20 R21 R22 R23 R24 R25 R28 R29 R31 R32 R39A | 26.00 |        |
| 220 | 212-102B-6K0 | CHIP CERAMIC CAP.0603 0.001UF X7R 50V +/-10 SAMSUNG CL10B102KB8NNNC 贴片电容  | C4 C10  | 2.00  |        |
| 221 | 212-103B-6K0 | CHIP CERAMIC CAP. 0603 0.01UF X7R 50V +/-10 SAMSUNG CL10B103KB8NNNC 贴片电容  | C11   | 1.00  |        |
| 222 | 212-105F-3Z0 | CHIP CERAMIC CAP. 0603 1UF Y5V 16V -20 + 80 SAMSUNG CL10F105ZO8NNNC 贴片电容  | C1 C5   | 2.00  |        |
| 223 | 212-470C-6J0 | CHIP CERAMIC CAP. 0603 47PF NP0 50V +/-5 SAMSUNG CL10C470JB8NNNC 贴片电容     | C2 C3   | 2.00  |        |
| 224 | 300-1010-000 | CHIP TR KRC101S-RTK/P SOT-23 KEC 贴片三极管                                    | Q2  | 1.00  |        |



| No. | Part Number   | Description  | Location Number     | Q'ty | Remark |
|-----|---------------|--|---------------------|------|--------|
| 225 | 300-1040-000  | CHIP TR KRC104S-RTK/P SOT-23 KEC 贴片三极管   | Q3                  | 1.00 |        |
| 226 | 300-2260-000  | SMD PNP Transistor -50V 200mW -800mA KRA226S-RTK/P SOT-23 KEC 贴片三极管                  | Q1                  | 1.00 |        |
| 227 | 330-2402-200  | SMD 8PIN IC Two-Wire Serial EEPROM SOP-8 FT24C02A-USR-T "FMD" 贴片集成路                  | IC4                 | 1.00 |        |
| 228 | 340-1840-000  | CHIP DIODE SWITCHING KDS184-RTK/P SOT-23 KEC 贴片二极管                                   | DS1                 | 1.00 |        |
| 229 | 500-5504-003  | LCD PCB MP07B - TCB550 FR4, Size:L117.5*W31 *T1.6mm*2 Layer Gold Plated Kin Sing 线路板 |                     | 1.00 |        |
| 230 | 350-0603-300  | CHIP LED GREEN HL-L0603QBGC-H3 HONGLI 贴片发光二极管  | D1 D2 D3 D6         | 4.00 |        |
| 231 | T00-1008-092  | T/U ASSY FOR TCB551RU DSS PCB  |                     | 1.00 |        |
| 232 | 202-4760-M00  | ELECT CAP. 47UF+/-20% 16V 5x7mm FUJICON 插件电解电容                                       | C511                | 1.00 |        |
| 233 | 545-0260-200  | WIRE UL1007 / AWG26 BLACK 40mm 3+3 导线  |                     | 1.00 |        |
| 234 | 545-0261-300  | WIRE UL1007 / AWG26 UL 1007 RED 100mm 3+3 导线 诚德利                                     |                     | 1.00 |        |
| 235 | 545-0263-000  | WIRE UL1007 / AWG26 YELLOW 40mm 3+3 导线   |                     | 1.00 |        |
| 236 | 545-0269-100  | WIRE UL1007 / AWG26 WHITE 100mm 3+3 诚德利 导线   |                     | 1.00 |        |
| 237 | 718-R000D-050 | CUSHION EVA SPONGE 16X22X3.0T 3M DOUBLE SIDE TAPE 海棉                                 |                     | 1.00 |        |
| 238 | S00-1008-092  | SMT ASSY FOR TCB551RU DSS PCB  |                     | 1.00 |        |
| 239 | 142-101J-001  | CHIP RES. RCT03 100J LF 0603 100 OHM +/-5% HKR 贴片电阻                                  | R500                | 1.00 |        |
| 240 | 142-103J-001  | CHIP RES. RCT03 10KJ LF 0603 10K OHM +/-5% HKR 贴片电阻                                  | R511 R504           | 2.00 |        |
| 241 | 142-223J-001  | CHIP RES. RCT03 22KJ LF 0603 22K OHM +/-5% HKR 贴片电阻                                  | R502 R509           | 2.00 |        |
| 242 | 142-473J-001  | CHIP RES. RCT03 47KJ LF 0603 47K OHM +/-5% HKR 贴片电阻                                  | R512 R513 R515 R516 | 4.00 |        |
| 243 | 142-564J-001  | CHIP RES. RCT03 560KJ LF 0603 560K OHM +/-5% HKR 贴片电阻                                | R508                | 1.00 |        |
| 244 | 166-1040-000  | TRIMMER POTENTIOMETER 100KB TMC3KJ-B100K-TR NOBLE 贴片电位器                              | RV501               | 1.00 |        |
| 245 | 212-103B-6K0  | CHIP CERAMIC CAP. 0603 0.01UF X7R 50V +/-10 SAMSUNG CL10B103KB8NNNC 贴片电容             | C505                | 1.00 |        |
| 246 | 212-104B-3K0  | CHIP CERAMIC CAP.0603 0.1UF X7R 16V +/-10 SAMSUNG CL10B104K08NNNC 贴片电容               | C509 C512 C513      | 3.00 |        |
| 247 | 212-330C-6J0  | CHIP CERAMIC CAP. 0603 33PF NP0 50V +/-5 SAMSUNG CL10C330JB8NNNC 贴片电容                | C507 C508           | 2.00 |        |
| 248 | 212-331B-6K0  | CHIP CERAMIC CAP. 0603 330PF X7R 50V +/-10 SAMSUNG CL10B331KB8NNNC 贴片电容              | C506                | 1.00 |        |
| 249 | 221-4744-M00  | CHIP TANTAL CAP. 0.47UF 16V A SIZE +/-20% TAJA474K025RNJ AVX贴片钽电容                    | C510                | 1.00 |        |
| 250 | 300-3875-000  | SMD Transistor SWITCHING KTC3875S-Y/GR SOT-23 KEC 贴片三极管                              | Q501                | 1.00 |        |
| 251 | 330-3580-000  | SMD 8pin OP AMP IC FLP-8 KIA358F-EL/P "KEC" 贴片集成电路                                   | IC501               | 1.00 |        |
| 252 | 340-2260-000  | CHIP DIODE SWITCHING KDS226-RTK/P SOT-23 KEC 贴片二极管                                   | D501                | 1.00 |        |

| No. | Part Number   | Description   | Location Number | Q'ty | Remark |
|-----|---------------|---|-----------------|------|--------|
| 253 | 500-7702-000  | DSS-001, 002 PCB DSC PCB Ver1.0 L24.6*18.2*1.2mm 2layer FR-4 gold plate<br>luckview 线路板 |                 | 1.00 |        |
| 254 | 212-472B-6K0  | CHIP CERAMIC CAP.0603 0.0047UF X7R 50V +/-10 SAMSUNG CL10B472KB8NNNC 贴片电容               | C501 C503       | 2.00 |        |
| 255 | 142-272J-001  | CHIP RES. RCT03 2.7KJ LF 0603 2.7K OHM +/-5% HKR 贴片电阻                                   | C504            | 1.00 |        |
| 256 | 212-105B-3K0  | CHIP CERAMIC CAP.0603 1UF X7R 16V +/-10 SAMSUNG CL10A105KO8NNNC 贴片电容                    | C511            | 1.00 |        |
| 257 | 202-1069-M00  | ELECT CAP. 10UF 16V 5x11 剪脚(脚长规格 : 3.2~3.8mm) FUJICON 插件电解电容                            | C6              | 1.00 |        |
| 258 | 706-3010S-NBH | SCREW MACH(+) M3x10L Ni PLATED BH 螺丝  |                 | 3.00 |        |
| 259 | 702-C5500-40B | HEATSINK ALUMINUM 3.0T with 2 holes 散热片   |                 | 1.00 |        |
| 260 | 702-C7700-90A | SHIELD COVER SPTE 0.3T DESHAN 屏蔽盖   |                 | 1.00 |        |
| 261 | 702-C7700-70A | TX SHIELD CAN(2) SPTE 0.3T DESHAN 屏蔽盖   |                 | 1.00 |        |
| 262 | C00-1008-001  | CASE ASSY FOR AMC-5011 MIC  |                 | 1.00 |        |
| 263 | 545-0280-000  | LEAD WIRE BLK 3+3 65mm AWG28 1571 导线  |                 | 1.00 |        |
| 264 | 545-0281-000  | LEAD WIRE RED 3+3 65mm AWG28 1571 导线  |                 | 1.00 |        |
| 265 | 701-C5500-30A | MIC BOTTOM COVER ABS BLACK SOLARIUM 底壳  |                 | 1.00 |        |
| 266 | 701-C5500-40A | MIC UPPER COVER ABS BLACK SOLARIUM 面壳   |                 | 1.00 |        |
| 267 | 701-C5500-50A | DECO ABS SILVER SPRAY 塑胶配件  |                 | 1.00 |        |
| 268 | 701-C5500-60A | PUSH LEVER ABS BLACK 塑胶配件   |                 | 1.00 |        |
| 269 | 701-C7701-70A | HOLDER PC BLACK 塑胶配件  |                 | 1.00 |        |
| 270 | 703-C7700-30A | SPK HOLDER RUBBER BLACK 支架  |                 | 1.00 |        |
| 271 | 703-C7700-40A | MIC BUSHING RUBBER BLACK 套管   |                 | 1.00 |        |
| 272 | 708-23142-BPH | SCREW TAP( + ) 2.3X14L_2S BLACK PH 螺丝   |                 | 4.00 |        |
| 273 | 708-26102-BBH | SCREW TAP( + ) 2.6X10L-2S BLACK BH 螺丝   |                 | 1.00 |        |
| 274 | 718-R000D-001 | CUSHION 20X24X4.0T EVA SPONGE BLACK 海棉  |                 | 1.00 |        |
| 275 | 718-R000D-039 | CUSHION(SWITCH)7.5X17.5X2.5T(1 SIDE DOUBLE TAPLE) 垫片                                    |                 | 1.00 |        |
| 276 | 817-1090-000  | POLYBAG with recycple mark PE 100X900X0.05T 需要打孔 塑胶袋                                    |                 | 1.00 |        |
| 277 | 831-C550-000  | NAME LABEL 贴纸   |                 | 1.00 |        |
| 278 | 834-C550-MC1  | MIC LOGO STICKER PE26.3X6X0.3T(REV.01) 贴纸   |                 | 1.00 |        |
| 279 | T00-1008-002  | T/U ASSY FOR TCB550 MIC(AMC-5011)   |                 | 1.00 |        |
| 280 | 511-1100-000  | TCB1100 MICROPHONE PCB 1.0T(Ver.1.0) 线路板  |                 | 1.00 |        |

| No. | Part Number  | Description   | Location Number | Q'ty | Remark |
|-----|--------------|---|-----------------|------|--------|
| 281 | 523-9705-000 | MIC CONDENSOR KSJ9765 30±2dB KISS-JIA 咪头                        |                 | 1.00 |        |
| 282 | 526-0000-001 | CURL CORD PU UL24AWG(18/0.08)4C. Black color L=430mm GENROW 弹弓线 |                 | 1.00 |        |
| 283 | 540-1640-000 | MIC CONNECTOR 4PIN N-16-4P AOCHUAN 连接头                          |                 | 1.00 |        |
| 284 | 562-2248-000 | PUSH SWITCH PS-22I48 LT 开关                                      |                 | 1.00 |        |